

Settings

- [Pricelist API](#)

Pricelist API

We make a simple query for get full services price lists Our reseller.

GET FULL PRICELIST

Request:

```
Command request:/account/prices
```

Answer:

```
{
  "prices" : {
    "domain" : [
      {
        "tld" : ".hu" ,
        "period" : "1, 2" ,
        "register" : " 0 .00 Ft \ /2 év" ,
        "transfer" : " 0 .00 Ft \ /1 év" ,
        "renew" : " 0 .00 Ft \ /1 év"
      },
      {
        "tld" : ".com" ,
        "period" : 1 ,
        "register" : " 0 .00 Ft" ,
        "transfer" : " 0 .00 Ft" ,
        "renew" : " 0 .00 Ft"
      }
    ],
    "product" : [
      {
        "name" : " Product type " ,
        "products" : [
          {
            "pid" : "12" ,
            "name" : " Product name 1 " ,
            "description" : "" ,
            "pricing" : {
              "annually" : " 1 .00 Ft \ /év" ,
              "biennially" : " 2 .00 Ft \ /2 év" ,
              "triennially" : " 3 .00 Ft \ /3 év"
            }
          }
        ]
      }
    ]
  },
  "result" : {
    "code" : 200 ,
    "message" : "OK"
  }
}
```

}

Further information find at [API documentation](#).