

How to Convert an SSL Certificate to Different Formats

Different platforms and devices require SSL certificates to be converted to different formats. For example, a Windows server exports and imports .pfx files while an Apache server uses individual PEM (.crt, .cer) files. For more information about the different SSL certificate types and how you can convert certificates on your computer using OpenSSL, see below.

PEM FORMAT

The PEM format is the most common format that Certificate Authorities issue certificates in. PEM certificates usually have extensions such as **.pem**, **.crt**, **.cer**, and **.key**. They are Base64 encoded ASCII files and contain “**—BEGIN CERTIFICATE—**” and “**—END CERTIFICATE—**” statements. Server certificates, intermediate certificates, and private keys can all be put into the PEM format.

Apache and other similar servers use PEM format certificates. Several PEM certificates, and even the private key, can be included in one file, one below the other, but most platforms, such as Apache, expect the certificates and private key to be in separate files.

DER FORMAT

The DER format is simply a binary form of a certificate instead of the ASCII PEM format. It sometimes has a file extension of **.der** but it often has a file extension of **.cer** so the only way to tell the difference between a DER .cer file and a PEM .cer file is to open it in a text editor and look for the BEGIN/END statements. All types of certificates and private keys can be encoded in DER format. DER is typically used with **Java platforms**. The SSL Converter can only convert certificates to DER format. If you need to convert a private key to DER, please use the [OpenSSL commands on this page](#).

PKCS#7/P7B FORMAT

The PKCS#7 or P7B format is usually stored in Base64 ASCII format and has a file extension of **.p7b** or **.p7c**. P7B certificates contain “**—BEGIN PKCS7—**” and “**—END PKCS7—**” statements. A P7B file only contains certificates and chain certificates, not the private key. Several platforms support P7B files including **Microsoft Windows and Java Tomcat**.

PKCS#12/PFX FORMAT

The PKCS#12 or PFX format is a binary format for storing the server certificate, any intermediate certificates, and the private key in one encryptable file. PFX files usually have extensions such as **.pfx** and **.p12**. PFX files are typically used on **Windows machines** to import and export certificates and private keys. When converting a PFX file to PEM format, OpenSSL will put all the certificates and the private key into a single file. You will need to open the file in a text editor and copy each certificate and private key (including the BEGIN/END statements) to its own individual text file and save them as certificate.cer, CACert.cer, and privateKey.key respectively.

OPENSSL COMMANDS TO CONVERT SSL CERTIFICATES ON YOUR MACHINE

It is highly recommended that you convert to and from .pfx files on your own machine using OpenSSL so you can keep the private key there. Use the following OpenSSL commands to convert SSL certificate to different formats on your own machine:

OPENSSL CONVERT PEM

Convert PEM to DER

```
openssl x509 -outform der -in certificate.pem -out certificate.der
```

Convert PEM to P7B

```
openssl crl2pkcs7 -nocrl -certfile certificate.cer -out certificate.p7b -certfile CACert.cer
```

Convert PEM to PFX

```
openssl pkcs12 -export -out certificate.pfx -inkey privateKey.key -in certificate.crt -certfile CACert.crt
```

OPENSSL CONVERT DER

Convert DER to PEM

```
openssl x509 -inform der -in certificate.cer -out certificate.pem
```

OPENSSL CONVERT P7B

Convert P7B to PEM

```
openssl pkcs7 -print_certs -in certificate.p7b -out certificate.cer
```

Convert P7B to PFX

```
openssl pkcs7 -print_certs -in certificate.p7b -out certificate.cer
```

```
openssl pkcs12 -export -in certificate.cer -inkey privateKey.key -out certificate.pfx -certfile CACert.cer
```

OPENSSL CONVERT PFX

Convert PFX to PEM

```
openssl pkcs12 -in certificate.pfx -out certificate.cer -nodes
```

If you need to convert a Java Keystore file to a different format, it usually easier to create a new private key and certificates but it is possible to convert a Java Keystore to PEM format.

Revision #2

Created 18 October 2023 12:46:30 by DotRoll Knowledge Base

Updated 14 May 2026 14:08:34 by DotRoll Knowledge Base